

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	789	( hardcopy (hard adj copy) fax facsimile printer) and engine and configuration and firewall and web and @ad<"20011011"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/08/11 11:47
L3	8	L2 and (( hardcopy (hard adj copy) fax facsimile printer) adj2 configuration ) and (e adj mail)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/08/11 09:22
L5	789	( hardcopy (hard adj copy) fax facsimile printer) and engine and configuration and firewall and web and @ad<"20011011" and firewall	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/08/11 14:51
L6	568	5 and (e adj mail)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/08/11 09:21
L7	8	L5 and (( hardcopy (hard adj copy) fax facsimile printer) adj2 configuration ) and (e adj mail)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/08/11 15:24
L9	8	6 and (( hardcopy (hard adj copy) fax facsimile printer) adj2 configuration ) and (e adj mail)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/08/11 11:36
L11	16	6 and (mail with printer withconfiguration )	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/08/11 12:08
L12	1	6 and (mail with printer with configuration )	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/08/11 11:37
L13	1	( (e adj mail) with attach\$3 with printer with configuration) and firewall and web and @ad<"20011011"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/08/11 11:49
L17	73	L2 and (( hardcopy (hard adj copy) fax facsimile printer) with configuration )	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/08/11 12:02
L18	1	L17 and ((receiv\$3 transmi\$4 send\$3 transfer download ) with ( hardcopy (hard adj copy) fax facsimile printer) with configuration with (e adj mail) )	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/08/11 12:05
L20	25	L2 and (( hardcopy (hard adj copy) fax facsimile printer) adj4 configuration )	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/08/11 14:38
L22	2	L17 and ((receiv\$3 transmi\$4 send\$3 transfer download ) with ( hardcopy (hard adj copy) fax facsimile printer) with configuration with ((e adj mail) message))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/08/11 12:06

L23	1	6 and ((mail message) with printer with configuration )	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/08/11 12:13
L24	6	6 and ((mail message) with printer with (configuration driver) )	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/08/11 12:19
L26	6	5 and ((mail message) with (includ\$3 attach) with printer with (configuration driver) )	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/08/11 15:16
L28	6	(engine or device or peripheral or equipment) and configuration and mail and ((mail message) adj3 (includ\$3 attach) adj5 printer adj5 (configuration driver) ) and @ad<"20011011"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/08/11 12:31
L31	8	"6424424"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/08/11 12:45
L34	8	L2 and (( hardcopy (hard adj copy) fax facsimile printer) adj4 ( configuration message) ) and xml	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/08/11 14:39
L35	1594	( hardcopy (hard adj copy) fax facsimile printer) and configuration and firewall and web and @ad<"20011011"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/08/11 14:51
L36	0	35 and ((mail message) with (includ\$3 attach) with printer with (configuration driver) ) and xml	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/08/11 14:52
L37	7	35 and ((mail message) with (includ\$3 attach) with printer with (configuration driver) ) and language	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/08/11 14:52
L38	6	5 and ((mail message) with (includ\$3 attach) with printer with (configuration driver) ) and language	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/08/11 15:19
L39	0	lomas.IN. and firewall	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/08/11 15:19
L40	6	L5 and (( hardcopy (hard adj copy) fax facsimile printer) adj2 configuration ) and (e adj mail) and (html xml language)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/08/11 15:24
S1	1	"20030074427".pn.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/01 10:30
S2	63	"709"/\$.ccls. and hardcopy and engine and configuration	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/01 10:34

S3	243	"709"/\$.ccls. and ( hardcopy or (hard adj copy)) and engine and configuration	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/08/10 17:30
S4	159	"709"/\$.ccls. and ( hardcopy or (hard adj copy)) and engine and configuration and @ad<"20011011"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/01 11:09
S6	28	S4 and (receiv\$3 near25 configuration)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/01 11:11
S7	1	S6 and (configur\$3 near19 output)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/01 14:06
S8	9	S4 and (inventory or stock) and hours and threshold	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/01 11:12
S10	419	"709"/\$.ccls. and ( hardcopy or (hard adj copy)) and (engine or device or peripheral or equipment) and configuration and @ad<"20011011"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/01 11:30
S11	84	S10 and (receiv\$3 near25 configuration)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/01 15:53
S12	2	S11 and (inventory or stock) and hours and threshold and mail	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/01 11:33
S13	2	S11 and (inventory or stock) and hours and threshold	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/01 11:34
S15	3	S11 and (inventory or stock) and hours and (threshold or limit or boundary) and (color or ton\$4 or pigmentation or mark) and (sheet or paper )	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/01 11:24
S16	287	( hardcopy or (hard adj copy)) and (engine or device or peripheral or equipment) and configuration and xml and @ad<"20011011"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/01 11:37
S17	26	S16 and (receiv\$3 near25 configuration)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/01 11:39
S19	1	S17 and (inventory or stock) and hours and threshold	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/01 12:23
S20	1500	( hardcopy or (hard adj copy)) and (engine or device or peripheral or equipment) and configuration and mail and @ad<"20011011"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/08/11 12:24

S21	202	S20 and (receiv\$3 near25 configuration)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/01 12:15
S22	26	S21 and (inventory or stock) and hours and threshold	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/01 11:41
S23	1	S22 and firewall	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/01 11:40
S24	107	( hardcopy or (hard adj copy)) and (engine or device or peripheral or equipment) and configuration and mail and printer and (copier or (copy adj machine)) and (facsimile or fax) and @ad<"20011011"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/01 12:27
S25	21	S24 and (receiv\$3 near25 configuration)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/01 16:12
S26	14	S25 and (inventory or stock) and hours and threshold	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/01 12:49
S38	494	(engine or device or peripheral or equipment) and configuration and mail and printer and (copier or (copy near3 machine)) and (facsimile or fax) and @ad<"20011011"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/01 14:04
S39	45	(engine or device or peripheral or equipment) and configuration and mail and printer and (copier or (copy near3 machine)) and (facsimile or fax) and xml and @ad<"20011011"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/01 15:59
S40	35	S39 and ((receiv\$3 or us\$3 or adopt\$3) near25 configuration)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/01 14:31
S41	10	S40 and ((message or mail) near20 configur\$5)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/01 13:48
S42	10	S41 and xml	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/01 14:42
S46	1	S39 and (mail near10 command)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/01 14:33
S51	146	"6192410" or "6081900" or "5657390"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/01 15:40

S52	21	S51 and (receiv\$3 near25 configuration)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/01 15:41
S53	1	S52 and xml	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/01 14:42
S54	31	(vendor near20 web) and (download near20 plug) and (device near10 data) and (sort near10 data) and maintain\$5	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/01 15:14
S55	19	((search or download or find or browse) near20 (vendor near10 web) ) and @ad<"20011011" and (engine or device or peripheral ) and mail and xml	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/01 15:25
S56	8	((search or find or browse) near20 (vendor near10 web) ) and @ad<"20011011" and (download near10 (code or plug or software or configur\$6)) and (engine or device or peripheral ) and mail and xml	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/01 15:27
S57	8	((search or find or browse) near20 (vendor near10 web) ) and @ad<"20011011" and (download near10 (code or plug or software or configur\$6)) and mail and xml	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/01 15:30
S58	12	((search or find or browse) near20 (vendor near10 web) ) and @ad<"20011011" and ((download or send or receive or transmit) near10 (code or plug or software or configur\$6)) and mail and xml	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/01 15:31
S59	0	S53 and @ad<"20011011"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/01 15:40
S60	116	S51 and @ad<"20011011"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/08/11 13:48
S61	8	S60 and xml	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/01 15:41
S62	0	S61 and (receiv\$3 near25 configuration)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/01 15:41
S63	2	S10 and (receiv\$3 near25 configuration) and xml	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/01 15:53

S64	40	S39 and (download or store or sort or search or find) and web	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/01 16:16
S65	7	S64 and (receiv\$3 near25 configuration)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/01 16:18
S66	26	S39 and ((download or store or sort or search or find) near10 (code or software or configuration or ware)) and web	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/01 16:17
S67	7	S66 and (receiv\$3 near25 configuration)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/01 16:18
S68	5	"6375298"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/08/10 16:32
S69	10170	( hardcopy (hard adj copy) fax facsimile printer) and engine and configuration and @ad<"20011011"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/08/10 17:37
S70	111	(( hardcopy (hard adj copy) fax facsimile printer) with configuration adj14 out ) and @ad<"20011011"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/08/10 17:38
S71	25	S70 and (configur\$3 adj5 data)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/08/10 17:37
S72	0	S70 and (configur\$3 adj5 data) and firewall	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/08/10 17:36
S73	11929746	( hardcopy (hard adj copy) fax facsimile printer) and engine and configuration and firewall @ad<"20011011"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/08/10 17:37
S74	789	( hardcopy (hard adj copy) fax facsimile printer) and engine and configuration and firewall and web and @ad<"20011011"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/08/10 17:37
S75	73	S74 and (( hardcopy (hard adj copy) fax facsimile printer) with configuration )	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/08/10 17:52
S76	22	S75 and ((receiv\$3 transmi\$4 send\$3 transfer download ) with ( hardcopy (hard adj copy) fax facsimile printer) with configuration )	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/08/11 11:51
S78	24	S74 and (( hardcopy (hard adj copy) fax facsimile printer) adj2 configuration )	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/08/11 09:19